Tel: (011) 827-5848 Fax: (011) 827-5832

E-mail: oilflow@oilflow.co.za

www.oilflow.co.za



# MATERIAL SAFETY DATA SHEET Petrol Injector Cleaner

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Petrol Injector Cleaner

Product Details: Fuel Addictive
Manufacturer/Supplier OILFLOW cc

562 Crocker Road, Wadeville, Germiston, South Africa

1422

Health Emergency Telephone 011 827 5848

Oilflow Website: info@oilflow.co.za

Www.oilflow.co.za

#### 2. HAZARD IDENTIFICATION

## 2.1 Classification

May cause lung damage if swallowed

Keep away from food, drink and animal feeding stuffs.

If swallowed seek medical advice immediately and show the container or label.

Dispose of this material and its contents to hazardous or special waste collection point

# 2.2 Labelling

Hazard designation: Harmful and Flammable

Contains- Distillates , hydrotreated light, kerosine- unspecified.

# 3. COMPOSITION/INFORMATION ON THE COMPONENTS

**Description**: Mixture of following substances and cleaning components.

**Components in Product** 

Component Name Concentration (%)

Solvent 90-99Performance additives 05-10

#### 4. FIRST AID MEASURES AND RESPONSE

Eyes: If splashed on eyes, hold the eyelids apart and pass running water for 15 minutes (S26).

If irritation occurs, contact the physician, and have product or label at hand. (P101)

Skin: If skin contact occurs, remove contaminated clothing and pass running water to affected

skin

Ingestion: If swallowed, do not induce vomiting, rinse mouth and give water to sip, if vomiting persists,

bend head closer to hips to avoid vomitus entry into lungs.

Seek medical advice immediately and show this MSDS (R22) (S46).

Inhalation: Retreat to get fresh air immediately. Seek medical attention if rapid recovery does not occur.





PO Box 14527, Wadeville 1422 562 Crocker Road

Wadeville Germiston South Africa

Tel: (011) 827-5848 Fax: (011) 827-5832

E-mail: oilflow@oilflow.co.za

www.oilflow.co.za



# MATERIAL SAFETY DATA SHEET Petrol Injector Cleaner

Suitable extinguishing media: Water spray

Alcohol-resistant foam

Dry chemical

Carbon dioxide (CO2)
Unsuitable extinguishing media: High volume water jet

Specific hazards

during firefighting: Do not use a solid water stream as it may scatter and spread fire.

Flash back possible over considerable distance. Vapors may form explosive mixtures with air.

Exposure to combustion products may be a hazard to health.

Hazardous combustion products: Carbon oxides

Specific extinguishing methods: Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do so.

Evacuate area.

Special protective equipment

for fire-fighters: In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

## 6. ACCIDENTAL RELEASE MEASURES

Person-related safety precautions: Avoid contact with eyes (S25).

Ensure adequate ventilation (S51).

Keep away from sources of ignition (S16).

When using, do not smoke (S21)

Measures for environmental protection:

Prevent undiluted product from reaching sewage system.

Measures for cleaning / collecting: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust) and dispose according to local

regulations.

## 7. HANDLING AND STORAGE

Advice on safe handling: Do not breathe vapours or spray mist.

Keep out of reach of children (S02)

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.


Non-sparking tools should be used. Keep container tightly closed (S07).



Tel: (011) 827-5848 Fax: (011) 827-5832

E-mail: oilflow@oilflow.co.za

www.oilflow.co.za



# MATERIAL SAFETY DATA SHEET Petrol Injector Cleaner

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Conditions for safe storage : Keep in properly labelled containers.

Keep tightly closed.

Keep in a cool, well-ventilated place.

Store in accordance with the national regulations. Keep away from heat and sources of ignition.

Do not store in direct sunlight

Materials to avoid: Do not store with the following product types:

Strong oxidizing agents

Organic peroxides Flammable solids

Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures which in contact with water emit

flammable gases Explosives Gases

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **National Occupational Exposure limits**

TWA. STEL. NOTICES

ppm mg/m3 ppm. mg/m3.

Ethanol 1000 - - -

TWA – The time weighted average airborne conc. over an eight- hour working day, for a five-day working week over ran entire working life.

STEL (Short Term Exposure Limit) -The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

These Exposure Standards are guides to be used in the control of occupational health hazards.

General protective and hygienic measures: General security measures have to be taken when handling

chemicals.

Avoid contact with eyes (S25).

In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice (S26).



Tel: (011) 827-5848 Fax: (011) 827-5832

E-mail: oilflow@oilflow.co.za

www.oilflow.co.za



# **MATERIAL SAFETY DATA SHEET Petrol Injector Cleaner**

**Physical State** Liquid Colour Blue Odour of Solvents рΗ 6 - 7.5 78 - 100 Boiling Range/Point (°C) Flash Point (PMCC) (°C) 75 Solubility in Water (kg/m3) Insuluble

Auto-flammability (°C) No Limits available

## 10. STABILITY AND REACTIVITY

Stable when stored and used as directed. Stability Conditions to Avoid High temperatures and sources of ignition.

Materials to Avoid Oxidizing agents

**Hazardous Decomposition Products** Oxides of carbon and nitrogen smoke and toxic fumes.

#### 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if product is handled in accordance with this Safety Data Sheets.

**Acute Effects** When inhaled, may irritate the mucous membrane.

> Contact to skin may result in slight irritation to sensitive skin Swallowing may result in nausea, vomiting and gut irritation.

# 12. ECOLOGICAL INFORMATION

Mobility No information available.

Persistence/Degradability The product is expected to biodegrade very slowly with time

and no further information is available.

#### 13. DISPOSAL

Person conducting disposal should wear appropriate PPE.

**Product Disposal** Dispose of in accordance with all applicable local and national

regulations.

**Container Disposal** An approved drum recycler can recycle containers.






Tel: (011) 827-5848 Fax: (011) 827-5832

E-mail: oilflow@oilflow.co.za

www.oilflow.co.za



# MATERIAL SAFETY DATA SHEET Petrol Injector Cleaner

#### 14. TRANSPORT INFORMATION

UN No.: 1170
Dangerous Goods Class 3
Hazchem Code 3Y
Packing Group III

#### 15. REGULATORY INFORMATION

This product is not subjected to the following international agreements

The STOCKHOLM CONVENTION
The ROTTERDAM CONVENTION
BASEL CONVENTION(Hazardous Waste)

Code letter and hazard designation of product: F – Flammable

Risk phrases: R10 Flammable.

R22 Harmful if swallowed.

Safety phrases: S02 Keep out of the reach of children.

S07 Keep container tightly closed.

S15 Keep away from heat.

S16 Keep away from sources of ignition.

S21 When using, do not smoke. S25 Avoid contact with eyes.

S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice,

S46 If swallowed, seek medical advice immediately and show this container or label.

S51 Use only in well ventilated areas.

## **16. OTHER INFORMATION**

Date of Issue: 10 May 2022

To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards, or combination of hazards, that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.

